

**PATENT** 

Docket No. \_JCLA5185

Date: 10-13-99

Page 1



## ASSISTANT COMMISSIONER FOR PATENTS WASHINGTON, D.C. 20231

ATTENTION: APPLICATION BRANCH

Sir:

Transmitted herewith for filing is the patent application of

Inventor: Chuan-Yu Hsu, Jay Liu, T. J. Hsu

For: METHOD AND USER INTERFACE FOR PERFORMING A SCAN OPERATION

#### FOR A SCANNER COUPLED TO A COMPUTER SYSTEM

Enclosed are:

- (×) Specification 13 pages.
- $(\times)$  3 Sheets of drawings
- (×) Recordation Form Cover sheet with 2 pages assignment.
- ( ) A certified copy of Taiwan Patent Application No. \_\_\_\_\_dated \_\_\_\_\_.
- (×) **SIGNED** declaration and power of attorney.
- (×) Return Prepaid postcard.

CLAIMS AS FILED								
FOR	NUMBER NUMBER FILED EXTRA			RATE	FEE			
Basic Fee					\$760	\$ 760		
Total Claims	14	-20	=0	×	\$18	\$ 0		
Independent Claims	2	-3	=0	×	\$78	\$ 0		
If application contains any	multiple depe	ndent clai	m (s), th	en add	\$260	\$ 0		
	TOTAL I	FILING I	EEE			\$ 760		

- ( $\times$ ) A check in the amount of \$760over the filing fee is enclosed.
- (×) A check in the amount of \$40 to cover the assignment recording fee.
- $(\times)$  A duplicate copy of this sheet is enclosed.

Jiawei Huang

Registration No. 43,330

#### J.C. PATENTS, INC.

1340 REYNOLDS AVE., SUITE 114 IRVINE, CALIFORNIA 92614

> TEL: (949) 660-0761 FAX: (949) 660-0809

Assistant Commissioner for Patents Washington, D.C. 20231

#### **CERTIFICATE OF MAILING BY "EXPRESS MAIL"**

**JCLA 5185** Docket No.

Chuan-Yu Hsu Applicant(s)

Jay Liu T. J. Hsu

METHOD AND USER INTERFACE For

> FOR PERFORMING A SCAN **OPERATION FOR A SCANNER**

COUPLED TO A COMPUTER SYSTEM

: EL435378315-US "Express Mail"

Mailing Label No.

: October 13, 1999 **Date of Deposit** 

I hereby certify that the accompanying

Transmittal in Duplicate; Specification 13 pages, 3 sheets of drawings; SIGNED Declaration and Power of Attorney 2 pages; Recordation Form Cover Sheet and Assignment 3 pages; Checks for Filing Fee(s); Return Prepaid Postcard

are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and are addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Jiawei Huang

# The part was many and the man to the part which the part was the part

# METHOD AND USER INTERFACE FOR PERFORMING A SCAN OPERATION FOR A SCANNER COUPLED TO A COMPUTER SYSTEM

5

10

15

20

#### BACKGROUND OF THE INVENTION

#### 1. Field of the Invention:

This invention relates to scanner technology, and more particularly, to a method and user interface for performing a scan operation for a scanner coupled to a computer system, which allows the user to acquire scanned images in an easier and more user-friendly manner.

#### 2. Description of Related Art:

A scanner allows a user to convert the printed matter on a document into a digital image for further processing by a computer. In the use of a scanner, however, it requires well-learned and highly-experienced users to do the image processing tasks properly. For inexperienced users, it usually requires a long period to learn, typically in a trial-and-error manner, which would make the training quite cost-ineffective since additional electricity and paper cost may be required in the training course.

The U.S. Patent No. 4,837,635 discloses a method that allows the user to acquire a scanned image by first obtaining a primitive scanned image from the scanner, and then specify suited image processing settings such as size and scan area for the scanner to perform a second scan operation on the original document to thereby obtain a final scanned image. By this method, the final scanned image can approach closely to the image qualities of the original document. One drawback to this patent, however, is that it is quite

10

15

20

inefficient to use since it requires the scanner to perform two scan operations on the same document.

FIG. 1 is a flow diagram showing the procedural steps involved in a conventional method to obtain a scanned image from an original document.

In the first step P100, the user interface for the scanner is activated. In the next step P102, the user interface commands the scanner to perform a primitive scan operation on the original document. The primitive scanned image is then displayed by the user interface for the user to make enhancements thereon.

In the next step P104, the user interface asks the user to specify suited image processing settings for the enhancement of the primitive scanned image, such as size setting and the desired scan area of the original document.

In the next step P106, the user interface activates the scanner to perform a second scan operation on the original document based on the image processing settings to thereby obtain a final scanned image. In the next step P108, the final scanned image is transferred to an application program for use by the application program.

It is apparent that the foregoing procedure has the drawback of requiring the scanner to perform two scan operations on the same document to obtain the final scanned image, which makes the image acquisition quite inefficient.

Moreover, the U.S. Patent No. 4,837,635 is still quire insufficient in functionality to meet user demands in image processing.

In the use of many conventional image scan programs, it requires the user to have learned knowledge background in the science of image processing. Therefore, for unlearned and inexperienced users, it would be highly difficult for them to use these programs rightly, and requires the user to spend much time and material on training.

In summary, conventional user interfaces for scanner operation have the following drawbacks.

First, they require the user to have learned knowledge background in the science of image processing in order to properly carry out the image acquisition, which makes the use of the scanner quite difficult and user-unfriendly.

Second. if a user has no such knowledge background, the user needs to spend much time and material on training, typically in a trial-and-error manner, which would make the use of the scanner quite cost-ineffective.

Third, the U.S. Patent No. 4,837,635 provides only limited functionality to the image processing, which would not meet user demands in high-end image processing.

Fourth, the prior art requires the scanner to perform two scan operations on the same document to acquire the final scanned image to be used by the application program, which makes the use of the scanner quite inefficient. It is desired that only one scan operation is needed.

15

10

5

#### SUMMARY OF THE INVENTION

It is therefore an objective of this invention to provide a method and user interface for use on a computer system coupled with a scanner for performing a scan operation, which allows the user to operate the scanner in an easy and user-friendly manner.

It is therefore an objective of this invention to provide a method and user interface for use on a computer system coupled with a scanner for performing a scan operation, which allows the scanner to perform only one scan operation on the original document.

10

15

20

In accordance with the foregoing and other objectives, the invention proposes a new method and user interface for use on a computer system coupled with a scanner for performing a scan operation.

Fundamentally, the invention allows the user to scan an original document without requiring the user to have learned knowledge background in the science of image processing, and also allows the scanner to perform only one scan operation on the original document. These features allow the use of the scanner to be easier and more user-friendly than the prior art.

The invention is designed for use with a user interface incorporated in a computer system coupled with a scanner for performing an automatic scan operation on an original document. The computer system runs a scanner driver and an application program. The scanner driver is used to drive the scanner, and the application program can process the scanned image as an image file.

The method of the invention includes the following procedural steps: (1) determining a set of image processing settings by a scanner driving program that are suited for optimal scan of the original document; (2) activating the scanner to perform a scan operation on the original document based on the image processing settings to thereby obtain a primitive scanned image which is then transferred to the scanner driver; (3) activating the scanner driver to perform an image-enhancement process on the primitive scanned image to thereby obtain a quality-enhanced image; and (4) transferring the quality-enhanced image to the application program for use by the application program.

In the foregoing method, the image-enhancement process includes a comprehensive set of image processing routines, such as automatic cutting, distortion correction, color calibration, and automatic character recognition. The quality-enhanced image is

10

15

20

then transferred to the scanner driver in the computer system, and then transferred via the scanner driver to the application program specified by the user through the user interface. The application program can be either an image editing program or a word processor that can accept the quality-enhanced image as an image file.

By the invention, the scanner needs just to perform one scan operation on the original document rather than two scan operations required by the prior art (the U.S. Patent No. 4,837,635). The invention is therefore more efficient than the prior art. After this, the invention will automatically perform an image-enhancement process on the primitive scanned image to thereby obtain the quality-enhanced image, without requiring the user to have learned knowledge background in the science of image processing in order to perform the image enhancement, and therefore no training is required. Since the user needs not to spend time and material on learning the operation of the scanner, it makes the use of the scanner more cost-effective and user-friendly. Furthermore, the invention provides an image-enhancement process that includes a comprehensive set of image processing routines which would meets most user's demands in image processing.

#### BRIEF DESCRIPTION OF DRAWINGS

The invention can be more fully understood by reading the following detailed description of the preferred embodiments, with reference made to the accompanying drawings, wherein:

- FIG. 1 (PRIOR ART) is a flow diagram showing the procedural steps involved in a conventional method to obtain a scanned image from an original document;
- FIG. 2 is a schematic block diagram of the incorporation of the user interface of the invention in a computer system coupled with a scanner; and

10

15

20

FIG. 3 is a flow diagram showing the procedural steps involved in the method of the invention for performing a scan operation on an original document.

#### DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

FIG. 2 is a schematic block diagram of the incorporation of the user interface of the invention, as the block designated by the reference numeral 50, in a computer system 20 coupled with a scanner 10. The computer system 20 runs a scanner driver 30, which is a software program, for driving the scanner 10. Further, the computer system 20 runs an application program 40 which can process the scanned image from the scanner 10 as an image file. The block designated by the reference numeral 60 is used to represent the input from user operation. The user can specify a set of proper image processing settings into the user interface 50.

When the user wants to acquire a scanned image from an original document (not shown), the user first needs to place the original document (not shown) on the scanner 10, and then specify a set of image processing settings that are suited for optimal scan of the original document (not shown). Next, the user interface 50 activates the scanner 10 to perform a scan operation on the original document (not shown) based on the image processing settings in the user interface 50 to thereby obtain a primitive scanned image. The primitive scanned image is then transferred to the scanner driver 30 in the computer system 20.

Next, the scanner driver 30 performs an image-enhancement process on the primitive scanned image to thereby obtain a quality-enhanced image. The image-enhancement process includes a comprehensive set of image processing routines, includ-

10

15

20

ing automatic cutting, distortion correction, color calibration, and automatic character recognition.

After this, the scanner driver 30 checks whether there is still another document waiting to be scanned. If YES, the scanner driver 30 will perform another scan operation. The quality-enhanced image is then transferred to the application program 40 for use by the application program 40.

FIG. 3 is a flow diagram showing the procedural steps involved in the method of the invention for performing a scan operation on the original document. This method is used with the computer system 20 and the scanner 10 shown in FIG. 2 and is performed by the user interface 50.

In the first step S100, a set of image processing settings that are suited for optimal scan of the original document is determined by a scanner driving program, and then stores these settings into the user interface 50.

In the next step S102, the user interface 50 issues a scan request to the scanner 10. In response, in the next step S104, the scanner 10 is activated to perform a scan operation on the original document based on the image processing settings in the user interface 50 to thereby obtain a primitive scanned image. The primitive scanned image is then transferred to the scanner driver 30.

In the next step S106, the scanner driver 30 is activated to perform an image-enhancement process on the primitive scanned image to thereby obtain a quality-enhanced image. The image-enhancement process includes a comprehensive set of image processing routines, including automatic cutting, distortion correction, color calibration, and automatic character recognition.

10

15

20

In the next step S108, the user interface 50 checks whether there is still another document waiting to be scanned. If YES, the procedure returns to the step S104; otherwise, the procedure goes to the step S110.

In the step S110, the quality-enhanced image resulted from the imageenhancement process is transferred to the application program 40 for use by the application program 40. The application program 40 can be either an image editing program or a word processor that can accept the quality-enhanced image as an image file.

In the next step S112, the user interface 50 displays a message asking whether the user wants to scan another document. If the user responds with YES, the procedure returns to the step S100; otherwise, the procedure is ended.

In conclusion, the invention has the following advantages over the prior art.

First, it requires the scanner to perform only one scan operation on the original document rather than two scan operations required by the prior art (the U.S. Patent No. 4,837,635). The invention is therefore more efficient to use than the prior art.

Second, the invention allows the image-enhancement process to be entirely carried out automatically without requiring the user to have knowledge background in the science of image processing, so that the use of the scanner is easier and more user-friendly.

Third, since the invention allows the user to carry out the scan operation without having to spend time and material on training, the use of the scanner is more cost-effective than the prior art.

Fourth, the invention provides an image-enhancement process that includes a comprehensive set of image processing routines which would meet most user's demands in image processing.

Fifth, the invention allows the image acquisition to be mostly performed automatically, allowing the operation of the scanner to be more simplified and user-friendly.

The invention has been described using exemplary preferred embodiments. However, it is to be understood that the scope of the invention is not limited to the disclosed embodiments. On the contrary, it is intended to cover various modifications and similar arrangements. The scope of the claims, therefore, should be accorded the broadest interpretation so as to encompass all such modifications and similar arrangements.

10

15

#### **CLAIMS**

What is claimed is:

1. A method implemented on a user interface incorporated in a computer system coupled with a scanner for performing a scan operation on an original document, the computer system running a scanner driver and an application program; the method comprising the steps of:

determining a set of image processing settings by a scanner driving program that are suited for optimal scan of the original document;

activating the scanner to perform a scan operation on the original document based on the image processing settings to thereby obtain a primitive scanned image which is then transferred to the scanner driver;

activating the scanner driver to perform an image-enhancement process on the primitive scanned image to thereby obtain a quality-enhanced image; and

transferring the quality-enhanced image to the application program for use by the application program.

- 2. The method of claim 1, wherein the image-enhancement process includes an automatic cutting routine.
- 3. The method of claim 1, wherein the image-enhancement process includes a distortion correction routine.
- 20 4. The method of claim 1, wherein the image-enhancement process includes a color calibration routine.
  - 5. The method of claim 1, wherein the image-enhancement process includes an automatic character recognition routine.

- 6. The method of claim 1, wherein the application program is an image editing program.
- 7. The method of claim 1, wherein the application program is a word processor program.

10

15

- 8. A user interface incorporated in a computer system coupled with a scanner for performing a scan operation on an original document, the computer system running a scanner driver and an application program; the method comprising the steps of:
- means for determining a set of image processing settings by a scanner driving program that are suited for optimal scan of the original document;

means for activating the scanner to perform a scan operation on the original document based on the image processing settings to thereby obtain a primitive scanned image which is then transferred to the scanner driver;

means for activating the scanner driver to perform an image-enhancement process on the primitive scanned image to thereby obtain a quality-enhanced image; and

mean for transferring the quality-enhanced image to the application program for use by the application program.

- 9. The user interface of claim 8, wherein the image-enhancement process includes an automatic cutting routine.
- 20 10. The user interface of claim 8, wherein the image-enhancement process includes a distortion correction routine.
  - 11. The user interface of claim 8, wherein the image-enhancement process includes a color calibration routine.

- 12. The user interface of claim 8, wherein the image-enhancement process includes an automatic character recognition routine.
- 13. The user interface of claim 8, wherein the application program is an image editing program.
- 5 14. The user interface of claim 8, wherein the application program is a word processor program.

\* \* \* \* \*

10

15

# METHOD AND USER INTERFACE FOR PERFORMING A SCAN OPERATION FOR A SCANNER COUPLED TO A COMPUTER SYSTEM ABSTRACT OF THE DISCLOSURE

A method and user interface is provided for use on a computer system coupled with a scanner for performing a scan operation on an original document, which allows the user to acquire scanned images in an easier and more user-friendly manner. The method allows the user to scan an original document without requiring the user to have learned knowledge background in the science of image processing, and also allows the scanner to perform only one scan operation on the original document. These features allow the use of the scanner to be easier and more user-friendly than the prior art. By the method, the first step is to determine a set of image processing settings by a scanner driving program that are suited for optimal scan of the original document; and then the scanner is activated to perform a scan operation on the original document based on the image processing settings to thereby obtain a primitive scanned image. Next, an image-enhancement process is performed on the primitive scanned image to thereby obtain a quality-enhanced image; and finally, the quality-enhanced image is transferred to the application program for use by the application program.

\* \* \* \* \*




FIG. 1 (PRIOR ART)





FIG. 2



#### COMBINED DECLARATION AND POWER OF ATTORNEY

As the below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name and that I believe I am an original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

### METHOD AND USER INTERFACE FOR PERFORMING A SCAN OPERATION FOR A SCANNER COUPLED TO A COMPUTER SYSTEM

the	specification of which	ch				
_X_	was filed on		and was amended o	n		
apr apr apr	ecification, including I acknowledge the Dication in accordance I hereby claim fore Dication(s) for patent	the claims, as amended e duty to disclose info ce with Title 37, Code of eign priority benefits un for inventor's certificate inventor's certificate ha	and understand the cord by any amendment referenced by any amendment referenced by any amendment referenced by any and have a serving a filing date before	erred to abo al to the p § 1.56(a). es Code, lso identifie	ove. Patentability of this  \$ 119 of any foreign  and below any foreign	
i	Number	Country	Date Filed(yyyy/mm/do	d) Yes	s No	
	88114080	Taiwan, R.O.C.	1999/8/18	and the same	X	
	nsact all business in  Jiawei Huang		e) and/or agent(s) to pro nark Office connected the Peter B. Martine Raymis H. Kim	erewith:	o. 32,043) o. 39,462)	
	SEND CORRESPONDENCE TO:		DIRECT TELEPHONE CALLS TO: (Name and telephone number)			
	J.C. Patents, Inc. 1340 Reynolds Ave., Suite 114, Irvine, CA 92614 (949) 660-0761		Jiawei Huang (949) 660-0762			

#### COMBINED DECLARATION AND POWER OF ATTORNEY CONTINUED

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Signature: CAMAN_M	Date: Och. 5. 1999						
Sole or First Joint Inventor: Chuan-Yu Hsu							
Citizenship: Taiwan, R.O.C.							
Residence and Post Office Address: 5F., No. 2-5, Chu-Tsun VII Rd., Science-Based Industrial Park, Hsinchu, Taiwan, R.O.C.							
Signature: Jay Jin	Date: 0CT. 5, 1999						
Second Joint Invertor (if any): Jay Liu							
Citizenship: Taiwan, R.O.C.							
Residence and Post Office Address: No. 2, Lane 12, Tung-Fu St., Chu-Tung Town, Hsinchu Hsien, Taiwan, R.O.C.							
Signature: T.J. Hsu	Date: 5, 6, 1999						
Third Joint Inventor (if any): T.J. Hsu	1						
Citizenship: Taiwan, R.O.C.							
Residence and Post Office Address: No. 36-3, Chia-Li Chen, Tainan Hsien, Taiwan, R.O.C.							